ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 68 • Numbers 1–4 • 2001

# Author index

**ABAIGAR, T.**

Oral administration of mebendazole failed to reduce nematode egg shedding in captive African gazelles—J. ORTIZ, M.R. RUIZ DE YBÁÑEZ, T. ABAIGAR, M. GARIJO, G. ESPESO and M. CANO ..... 79–82

**AHARISOLO, C.**

Validity of intradermal tuberculin testing for the screening of bovine tuberculosis in Madagascar—R. QUIRIN, V. RASOLOFO, R. ANDRIAMBOLOLONA, A. RAMBOASOLO, T. RASOLONAVALONA, C. AHARISOLO, H. RAKOTOARITAHINA, S. CHANTEAU and P. BOISIER ..... 231–238

**ALCIGIR, G.**

Immunohistochemical and histopathological studies of fixed rabies virus in goats—S. ATALAY VURAL, G. ALCIGIR and S. BERKIN ..... 83–89

**ANDONOVA, M.**

Changes in some factors of the innate immunity and serum zinc and iron concentrations in pigs following intravenous administration of *Escherichia coli* lipopolysaccharide—M. ANDONOVA, I. BORISSOV and L. SOTIROV ..... 91–99

**ANDRIAMBOLOLONA, R.**

Validity of intradermal tuberculin testing for the screening of bovine tuberculosis in Madagascar—R. QUIRIN, V. RASOLOFO, R. ANDRIAMBOLOLONA, A. RAMBOASOLO, T. RASOLONAVALONA, C. AHARISOLO, H. RAKOTOARITAHINA, S. CHANTEAU and P. BOISIER ..... 231–238

**ATALAY VURAL, S.**

Immunohistochemical and histopathological studies of fixed rabies virus in goats—S. ATALAY VURAL, G. ALCIGIR and S. BERKIN ..... 83–89

**BASSON, K.M.**

Effect of pavetamine on protein synthesis in rat tissue—R.A. SCHULTZ, N. FOURIE, K.M. BASSON, L. LABUSCHAGNE and L. PROZESKY ..... 325–331

**BEDANE, B.**

The distribution of ixodid ticks (Acari: Ixodidae) in central Ethiopia—S. MEKONNEN, I. HUSSEIN and B. BEDANE . 243–251

**BENGIS, R.G.**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

Tuberculosis in kudus (*Tragelaphus strepsiceros*) in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS and A.L. MICHEL ..... 225–230

Tuberculosis, caused by *Mycobacterium bovis*, in a kudu (*Tragelaphus strepsiceros*) from a commercial game farm in the Malelane area of the Mpumalanga Province, South Africa—R.G. BENGIS, D.F. KEET, A.L. MICHEL and N.P.J. KRIEK ..... 239–241

**BERKIN, S.**

Immunohistochemical and histopathological studies of fixed rabies virus in goats—S. ATALAY VURAL, G. ALCIGIR and S. BERKIN ..... 83–89

**BIGALKE, R.D.**

A review of the infectious disease of African wild ruminants—R.W. WORTHINGTON and R.D. BIGALKE ..... 291–323

**BINEPAL, Y.S.**

Alternative cell lines for the propagation of lumpy skin disease virus—Y.S. BINEPAL, F.A. ONGADI and J.C. CHEPKWONY ..... 151–153

**BINTA, M.G.**

Antibodies to Newcastle disease virus in the sera of indigenous chickens in Oodi, Kgatleng, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.M.K. HYERA, K.M. THIBANYANE and J. MKARIA ..... 69–70

Seroprevalence of *Toxoplasma gondii* and *Chlamydia psittaci* in domestic pigeons (*Columba livia domestica*) at Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH ..... 159–161

**BLAYLOCK, R.S.M.**

Normal oral bacterial flora from some southern African snakes—R.S.M. BLAYLOCK ..... 175–182

**BOISIER, P.**

Validity of intradermal tuberculin testing for the screening of bovine tuberculosis in Madagascar—R. QUIRIN, V. RASOLOFO, R. ANDRIAMBOLOLONA, A. RAMBOASOLO, T. RASOLONAVALONA, C. AHARISOLO, H. RAKOTOARITAHINA, S. CHANTEAU and P. BOISIER ..... 231–238

**BORISSOV, I.**

Changes in some factors of the innate immunity and serum zinc and iron concentrations in pigs following intravenous administration of *Escherichia coli* lipopolysaccharide—M. ANDONOVA, I. BORISSOV and L. SOTIROV ..... 91–99

**BOTHA, C.J.**

Seasonal variation in cotyledoside concentration of *Tylecodon wallichii* (Harv.) Tölken subsp. *wallichii* sampled in a krimpsiekte-prevalent region—C.J. BOTHA, T. RUNDBERGET, A.L. WILKINS, M.S.G. MÜLDERS, A. FLÅØYEN and M.P. VAN AARDT ..... 1–9

**BURSEY, C.R.**

Intestinal helminths of four species of skinks (*Mabuya*) (Sauria: Scincidae) from southern Africa—S.R. GOLDBERG and C.R. BURSEY ..... 143–147

**CANO, M.**

Oral administration of mebendazole failed to reduce nematode egg shedding in captive African gazelles—J. ORTIZ, M.R. RUIZ DE YBÁÑEZ, T. ABAIGAR, M. GARIJO, G. ESPESO and M. CANO ..... 79–82

**CHABO, R.G.**

Antibodies to Newcastle disease virus in the sera of indigenous chickens in Oodi, Kgatleng, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.M.K. HYERA, K.M. THIBANYANE and J. MKARIA ..... 69–70

Seroprevalence of *Toxoplasma gondii* and *Chlamydia psittaci* in domestic pigeons (*Columba livia domestica*) at Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH ..... 159–161

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

**CHANTEAU, S.**

Validity of intradermal tuberculin testing for the screening of bovine tuberculosis in Madagascar—R. QUIRIN, V. RASOLOFO, R. ANDRIAMBOLOLONA, A. RAMBOASOLO, T. RASOLONAVALONA, C. AHARISOLO, H. RAKOTOARITAHINA, S. CHANTEAU and P. BOISIER ..... 231–238

**CHEPKWONY, J.C.**

Alternative cell lines for the propagation of lumpy skin disease virus—Y.S. BINEPAL, F.A. ONGADI and J.C. CHEPKWONY ..... 151–153

**COHEN, M.**

Hosts of the immature stages of the rhinoceros tick, *Dermacentor rhinocerinus* (Acari, Ixodidae)—I.G. HORAK and M. COHEN ..... 75–77

**DE VOS , V.**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

**DIPPENAAR, S.M.**

*Lamproglena hoi* n. sp. (Copepoda: Lernaeidae) from two yellowfish hosts, *Barbus marequensis* and *Barbus polylepis*, caught in a river in Mpumalanga, South Africa—S.M. DIPPENAAR, W.J. LUUS-POWELL and F. ROUX ..... 209–215

**DORNY, P.**

A survey on anthelmintic resistance in nematode parasites of sheep in Lusaka, Zambia—S. GABRIEL, I.K. PHIRI, P. DORNY and J. VERCRUYSSE ..... 271–274

**DZIVA, F.**

Vaccination to control an outbreak of *Mycoplasma crocodyli* infection—K. MOHAN, C.M. FOGGIN, F. DZIVA and P. MUVAVARIRWA ..... 149–150

**ELKAN, P.W.**

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

**EMSLIE, F.R.**

Parasites of domestic and wild animals in South Africa. XL. Ticks on dogs belonging to people in rural communities and carnivore ticks on the vegetation—I.G. HORAK, F.R. EMSLIE and A.M. SPICKETT ..... 135–141

**ESMANN, J.B.**

A survey of parasitic nematode infections of chickens in rural Zimbabwe—S. MUKARATIRWA, T. HOVE, J.B. ESMANN, C.J. HOJ, A. PERMIN and P. NANSEN ..... 183–186

**ESPESO, G.**

Oral administration of mebendazole failed to reduce nematode egg shedding in captive African gazelles—J. ORTIZ, M.R. RUIZ DE YBÁÑEZ, T. ABAIGAR, M. GARIJO, G. ESPESO and M. CANO ..... 79–82

**FLÅØYEN, A.**

Seasonal variation in cotyledoside concentration of *Tylecodon wallichii* (Harv.) Tölken subsp. *wallichii* sampled in a krimpsiekte-prevalent region—C.J. BOTHA, T. RUNDBERGET, A.L. WILKINS, M.S.G. MÜLDERS, A. FLÅØYEN and M.P. VAN AARDT ..... 1–9

**FOGGIN, C.M.**

Transmission studies on *Trichinella* species isolated from *Crocodylus niloticus* and efficacy of fenbendazole and levamisole against muscle L1 stages in Balb C mice—S. MUKARATIRWA, K. MAGWEDERE, E. MATENGA and C.M. FOGGIN ..... 21–25

Vaccination to control an outbreak of *Mycoplasma crocodyli* infection—K. MOHAN, C.M. FOGGIN, F. DZIVA and P. MUVAVARIRWA ..... 149–150

**FOURIE, L.J.**

Diversity, seasonality and sites of attachment of adult ixodid ticks on dogs in the central region of the Free State Province, South Africa—P.A.H. JACOBS, L.J. FOURIE, D.J. KOK and I.G. HORAK ..... 281–290

**FOURIE, N.**

Effect of pavetamine on protein synthesis in rat tissue—R.A. SCHULTZ, N. FOURIE, K.M. BASSON, L. LABUSCHAGNE and L. PROZESKY ..... 325–331

**FUKUSHI, H.**

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

**GABRIEL, S.**

A survey on anthelmintic resistance in nematode parasites of sheep in Lusaka, Zambia—S. GABRIEL, I.K. PHIRI, P. DORNY and J. VERCRUYSSE ..... 271–274

**GARIJO, M.**

Oral administration of mebendazole failed to reduce nematode egg shedding in captive African gazelles—J. ORTIZ, M.R. RUIZ DE YBÁÑEZ, T. ABAIGAR, M. GARIJO, G. ESPESO and M. CANO ..... 79–82

**GOLDBERG, S.R.**

Intestinal helminths of four species of skinks (*Mabuya*) (Sauria: Scincidae) from southern Africa—S.R. GOLDBERG and C.R. BURSEY ..... 143–147

**GOTHE, R.**

Studies on the critical water mass, rehydration capability and potential, acute chill tolerance and supercooling point of *Argas (Persicargas) walkerae* (Acari: Argasidae)—U. STARK and R. GOTHE ..... 11–20

**GREEFF, C.J.**

Parasites of domestic and wild animals in South Africa. XXXIX. Helminth and arthropod parasites of Angora goats in the southern Karoo—I.G. HORAK, K.M. DE F. MACIVOR and C.J. GREEFF ..... 27–35

**GUTHRIE, A.J.**

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

**HEATH, L.E.**

The 3A non-structural-protein coding region of the southern African SAT type isolates differs from that of other foot-and-mouth disease viruses—L.E. HEATH, H.G. VAN RENSBURG, W. VOSLOO and L.H. NEL ..... 253–262

**HENTON, M.M.**

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

**HOJ, C.J.**

A survey of parasitic nematode infections of chickens in rural Zimbabwe—S. MUKARATIRWA, T. HOVE, J.B. ESMANN, C.J. HOJ, A. PERMIN and P. NANSEN ..... 183–186

**HORAK, I.G.**

Parasites of domestic and wild animals in South Africa. XXXIX. Helminth and arthropod parasites of Angora goats in the southern Karoo—I.G. HORAK, K.M. DE F. MACIVOR and C.J. GREEFF ..... 27–35

Hosts of the immature stages of the rhinoceros tick, *Dermacentor rhinocerinus* (Acari, Ixodidae)—I.G. HORAK and M. COHEN ..... 75–77

Parasites of domestic and wild animals in South Africa. XL. Ticks on dogs belonging to people in rural communities and carnivore ticks on the vegetation—I.G. HORAK, F.R. EMSLIE and A.M. SPICKETT ..... 135–141

Diversity, seasonality and sites of attachment of adult ixodid ticks on dogs in the central region of the Free State Province, South Africa—P.A.H. JACOBS, L.J. FOURIE, D.J. KOK and I.G. HORAK ..... 281–290

**HOVE, T.**

A survey of parasitic nematode infections of chickens in rural Zimbabwe—S. MUKARATIRWA, T. HOVE, J.B. ESMANN, C.J. HOJ, A. PERMIN and P. NANSEN ..... 183–186

Epidemiological observations of Zimbabwean theileriosis: Disease incidence and pathogenicity in susceptible cattle during *Rhipicephalus appendiculatus* nymphal and adult seasonal activities—A.A. LATIF, T. HOVE, G.K. KANHAI, S. MASAKA and R.G. PEGRAM ..... 187–195

Exposure of cattle immunized with different stocks of *Theileria parva* to buffalo-associated *Theileria* challenge on two game parks in Zimbabwe—A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 197–201

Laboratory and field investigations into the *Theileria parva* carrier-state in cattle in Zimbabwe— A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 203–208

**HUCHZERMEYER, F.W.**

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

**HUCHZERMEYER, H.F.K.A.**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

**HUNTER, P.**

A monovalent attenuated serotype 2 bluetongue virus vaccine confers homologous protection in sheep—P. HUNTER and J. MODUMO ..... 331–333

**HUSSEIN, I.**

The distribution of ixodid ticks (Acari: Ixodidae) in central Ethiopia—S. MEKONNEN, I. HUSSEIN and B. BEDANE . 243–251

**HYERA, J.M.K.**

Antibodies to Newcastle disease virus in the sera of indigenous chickens in Oodi, Kgatleng, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.M.K. HYERA, K.M. THIBANYANE and J. MKARIA ..... 69–70

**JACOBS, P.A.H.**

Diversity, seasonality and sites of attachment of adult ixodid ticks on dogs in the central region of the Free State Province, South Africa—P.A.H. JACOBS, L.J. FOURIE, D.J. KOK and I.G. HORAK ..... 281–290

**JACYNA, L.**

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

**JOSEMANS, A.I.**

A chemically defined medium for the growth of *Cowdria ruminantium*—E. ZWEYGARTH and A.I. JOSEMANS ..... 37–40

Continuous *in vitro* propagation of *Cowdria ruminantium* (Welgevonden stock) in a canine macrophage-monocyte cell line—E. ZWEYGARTH and ANTOINETTE I. JOSEMANS ..... 155–157

**KALAKE, A.M.**

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

**KANHAI, G.K.**

Epidemiological observations of Zimbabwean theileriosis: Disease incidence and pathogenicity in susceptible cattle during *Rhipicephalus appendiculatus* nymphal and adult seasonal activities—A.A. LATIF, T. HOVE, G.K. KANHAI, S. MASAKA and R.G. PEGRAM ..... 187–195

Exposure of cattle immunized with different stocks of *Theileria parva* to buffalo-associated *Theileria* challenge on two game parks in Zimbabwe—A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 197–201

Laboratory and field investigations into the *Theileria parva* carrier-state in cattle in Zimbabwe— A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 203–208

**KEET, D.F.**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

Tuberculosis in kudus (*Tragelaphus strepsiceros*) in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS and A.L. MICHEL ..... 225–230

Tuberculosis, caused by *Mycobacterium bovis*, in a kudu (*Tragelaphus strepsiceros*) from a commercial game farm in the Malelane area of the Mpumalanga Province, South Africa—R.G. BENGIS, D.F. KEET, A.L. MICHEL and N.P.J. KRIEK ..... 239–241

**KOK, D.J.**

Diversity, seasonality and sites of attachment of adult ixodid ticks on dogs in the central region of the Free State Province, South Africa—P.A.H. JACOBS, L.J. FOURIE, D.J. KOK and I.G. HORAK ..... 281–290

**KRECEK, R.C.**

Helminths in dogs belonging to people in a resource-limited urban community in Gauteng, South Africa—W.N. MINNAAR and R.C. KRECEK ..... 111–117

**KRIEK, N.P.J.**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

Tuberculosis in kudus (*Tragelaphus strepsiceros*) in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS and A.L. MICHEL ..... 225–230

Tuberculosis, caused by *Mycobacterium bovis*, in a kudu (*Tragelaphus strepsiceros*) from a commercial game farm in the Malelane area of the Mpumalanga Province, South Africa—R.G. BENGIS, D.F. KEET, A.L. MICHEL and N.P.J. KRIEK ..... 239–241

**LABUSCHAGNE, L.**

Effect of pavetamine on protein synthesis in rat tissue—R.A. SCHULTZ, N. FOURIE, K.M. BASSON, L. LABUSCHAGNE and L. PROZESKY ..... 325–331

**LANGONI, H.**

Seroprevalence of bovine leptospirosis in Garanhuns municipal district, Pernambuco State, Brazil—A.A.F. OLIVEIRA, R.A. MOTA, G.C. PEREIRA, H. LANGONI, M.I. SOUZA, W.A. NAVEGANTES and M.E.P. SÁ ..... 275–279

**LATIF, A.A.**

Epidemiological observations of Zimbabwean theileriosis: Disease incidence and pathogenicity in susceptible cattle during *Rhipicephalus appendiculatus* nymphal and adult seasonal activities—A.A. LATIF, T. HOVE, G.K. KANHAI, S. MASAKA and R.G. PEGRAM ..... 187–195

Exposure of cattle immunized with different stocks of *Theileria parva* to buffalo-associated *Theileria* challenge on two game parks in Zimbabwe—A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 197–201

Laboratory and field investigations into the *Theileria parva* carrier-state in cattle in Zimbabwe— A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 203–208

**LEBANI, N.N.**

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

**LUUS-POWELL, W.J.**

*Lamproglena hoi* n. sp. (Copepoda: Lernaeidae) from two yellowfish hosts, *Barbus marequensis* and *Barbus polylepis*, caught in a river in Mpumalanga, South Africa—S.M. DIPPENAAR, W.J. LUUS-POWELL and F. ROUX ..... 209–215

**MACHETE, J.B.**

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

**MACIVOR, K.M. DE F.**

Parasites of domestic and wild animals in South Africa. XXXIX. Helminth and arthropod parasites of Angora goats in the southern Karoo—I.G. HORAK, K.M. DE F. MACIVOR and C.J. GREEFF ..... 27–35

**MAGWEDERE, K.**

Transmission studies on *Trichinella* species isolated from *Crocodylus niloticus* and efficacy of fenbendazole and levamisole against muscle L1 stages in Balb C mice—S. MUKARATIRWA, K. MAGWEDERE, E. MATENGA and C.M. FOGGIN ..... 21–25

**MALAN, F.S.**

Clinical evaluation of anaemia in sheep: early trials—F.S. MALAN, J.A. VAN WYK and C.D. WESSELS ..... 165–174

**MASAKA, S.**

Epidemiological observations of Zimbabwean theileriosis: Disease incidence and pathogenicity in susceptible cattle during *Rhipicephalus appendiculatus* nymphal and adult seasonal activities—A.A. LATIF, T. HOVE, G.K. KANHAI, S. MASAKA and R.G. PEGRAM ..... 187–195

Exposure of cattle immunized with different stocks of *Theileria parva* to buffalo-associated *Theileria* challenge on two game parks in Zimbabwe—A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 197–201

Laboratory and field investigations into the *Theileria parva* carrier-state in cattle in Zimbabwe— A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 203–208

**MATENGA, E.**

Transmission studies on *Trichinella* species isolated from *Crocodylus niloticus* and efficacy of fenbendazole and levamisole against muscle L1 stages in Balb C mice—S. MUKARATIRWA, K. MAGWEDERE, E. MATENGA and C.M. FOGGIN ..... 21–25

**MBOGO, S.K.**

Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya—J.M. WANJOHI, J.N. NGERANWA, R.M. RUMBERIA, G.R. MURAGURI and S.K. MBOGO ..... 217–223

**MEKONNEN, S.**

The distribution of ixodid ticks (Acari: Ixodidae) in central Ethiopia—S. MEKONNEN, I. HUSSEIN and B. BEDANE . 243–251

**MICHEL, A.**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZER-MEYER ..... 119–130

**MICHEL, A.L.**

Tuberculosis in kudus (*Tragelaphus strepsiceros*) in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS and A.L. MICHEL ..... 225–230

Tuberculosis, caused by *Mycobacterium bovis*, in a kudu (*Tragelaphus strepsiceros*) from a commercial game farm in the Malelane area of the Mpumalanga Province, South Africa—R.G. BENGIS, D.F. KEET, A.L. MICHEL and N.P.J. KRIEK ..... 239–241

**MINE, O.M.**

The establishment, composition and severity of infection of gastro-intestinal parasites and their impact on productivity of Tswana kids in southern Botswana—S.J. NSOSO, M.M. SENKU and O.M. MINE ..... 71–74

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

**MINNAAR, W.N.**

Helminths in dogs belonging to people in a resource-limited urban community in Gauteng, South Africa—W.N. MINNAAR and R.C. KRECEK ..... 111–117

**MITCHELL, J.O.**

Rapid detection and differentiation of Newcastle disease virus isolates by a triple one-step RT-PCR—Z. WANG, F.T. VREEDE, J.O. MITCHELL and G.J. VILJOEN ..... 131–134

**MKARIA, J.**

Antibodies to Newcastle disease virus in the sera of indigenous chickens in Oodi, Kgatleng, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.M.K. HYERA, K.M. THIBANYANE and J. MKARIA ..... 69–70

**MODUMO, J.**

A monovalent attenuated serotype 2 bluetongue virus vaccine confers homologous protection in sheep—P. HUNTER and J. MODUMO ..... 331–333

**MOHAN, K.**

Vaccination to control an outbreak of *Mycoplasma crocodyli* infection—K. MOHAN, C.M. FOGGIN, F. DZIVA and P. MUVAVARIRWA ..... 149–150

**MOLATOLE, M.**

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

**MOTA, R.A.**

Seroprevalence of bovine leptospirosis in Garanhuns municipal district, Pernambuco State, Brazil—A.A.F. OLIVEIRA, R.A. MOTA, G.C. PEREIRA, H. LANGONI, M.I. SOUZA, W.A. NAVEGANTES and M.E.P. SÁ ..... 275–279

**MUKARATIRWA, S.**

Transmission studies on *Trichinella* species isolated from *Crocodylus niloticus* and efficacy of fenbendazole and levamisole against muscle L1 stages in Balb C mice—S. MUKARATIRWA, K. MAGWEDERE, E. MATENGA and C.M. FOGGIN ..... 21–25

A survey of parasitic nematode infections of chickens in rural Zimbabwe—S. MUKARATIRWA, T. HOVE, J.B. ESMANN, C.J. HOJ, A. PERMIN and P. NANSEN ..... 183–186

**MÜLDERS, M.S.G.**

Seasonal variation in cotyledoside concentration of *Tylecodon wallichii* (Harv.) Tölken subsp. *wallichii* sampled in a krimpsiekte-prevalent region—C.J. BOTHA, T. RUNDBERGET, A.L. WILKINS, M.S.G. MÜLDERS, A. FLÅØYEN and M.P. VAN AARDT ..... 1–9

**MURAGURI, G.R.**

Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya—J.M. WANJOHI, J.N. NGERANWA, R.M. RUMBERIA, G.R. MURAGURI and S.K. MBOGO ..... 217–223

**MUSHI, E.Z.**

Antibodies to Newcastle disease virus in the sera of indigenous chickens in Oodi, Kgatleng, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.M.K. HYERA, K.M. THIBANYANE and J. MKARIA ..... 69–70

Seroprevalence of *Toxoplasma gondii* and *Chlamydia psittaci* in domestic pigeons (*Columba livia domestica*) at Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH ..... 159–161

**MUVAVARIRWA, P.**

Vaccination to control an outbreak of *Mycoplasma crocodyli* infection—K. MOHAN, C.M. FOGGIN, F. DZIVA and P. MUVAVARIRWA ..... 149–150

**NANSEN, P.**

A survey of parasitic nematode infections of chickens in rural Zimbabwe—S. MUKARATIRWA, T. HOVE, J.B. ESMANN, C.J. HOJ, A. PERMIN and P. NANSEN ..... 183–186

**NAVEGANTES, W.A.**

Seroprevalence of bovine leptospirosis in Garanhuns municipal district, Pernambuco State, Brazil—A.A.F. OLIVEIRA, R.A. MOTA, G.C. PEREIRA, H. LANGONI, M.I. SOUZA, W.A. NAVEGANTES and M.E.P. SÁ ..... 275–279

**NDEBELE, R.**

Seroprevalence of *Toxoplasma gondii* and *Chlamydia psittaci* in domestic pigeons (*Columba livia domestica*) at Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH ..... 159–161

**NDEBELE, R.T.**

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

**NEL, L.H.**

The 3A non-structural-protein coding region of the southern African SAT type isolates differs from that of other foot-and-mouth disease viruses—L.E. HEATH, H.G. VAN RENSBURG, W. VOSLOO and L.H. NEL ..... 253–262

**NGERANWA, J.N.**

Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya—J.M. WANJOHI, J.N. NGERANWA, R.M. RUMBERIA, G.R. MURAGURI and S.K. MBOGO ..... 217–223

**NSOSO, S.J.**

The establishment, composition and severity of infection of gastro-intestinal parasites and their impact on productivity of Tswana kids in southern Botswana—S.J. NSOSO, M.M. SENKU and O.M. MINE ..... 71–74

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

**OFFICE INTERNATIONAL DES EPIZOOTIES**

Comprehensive reports on technical items presented to the International Committee or to Regional Commissions 2000—OFFICE INTERNATIONAL DES EPIZOOTIES ..... 163–164

**OHALE, L.O.C.**

Closure of the ductus arteriosus of indigenous South African goats at high altitude—L.O.C. OHALE ..... 47–53

**OLIVEIRA, A.A.F.**

Seroprevalence of bovine leptospirosis in Garanhuns municipal district, Pernambuco State, Brazil—A.A.F. OLIVEIRA, R.A. MOTA, G.C. PEREIRA, H. LANGONI, M.I. SOUZA, W.A. NAVEGANTES and M.E.P. SÁ ..... 275–279

**ONGADI, F.A.**

Alternative cell lines for the propagation of lumpy skin disease virus—Y.S. BINEPAL, F.A. ONGADI and J.C. CHEPKWONY ..... 151–153

**ORTIZ, J.**

Oral administration of mebendazole failed to reduce nematode egg shedding in captive African gazelles—J. ORTIZ, M.R. RUIZ DE YBÁÑEZ, T. ABAIGAR, M. GARIJO, G. ESPESO and M. CANO ..... 79–82

**PANZIRAH, R.**

Seroprevalence of *Toxoplasma gondii* and *Chlamydia psittaci* in domestic pigeons (*Columba livia domestica*) at Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH ..... 159–161

**PEGRAM, R.G.**

Epidemiological observations of Zimbabwean theileriosis: Disease incidence and pathogenicity in susceptible cattle during *Rhipicephalus appendiculatus* nymphal and adult seasonal activities—A.A. LATIF, T. HOVE, G.K. KANHAI, S. MASAKA and R.G. PEGRAM ..... 187–195

**PENRITH, M.-L.**

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

**PEREIRA, G.C.**

Seroprevalence of bovine leptospirosis in Garanhuns municipal district, Pernambuco State, Brazil—A.A.F. OLIVEIRA, R.A. MOTA, G.C. PEREIRA, H. LANGONI, M.I. SOUZA, W.A. NAVEGANTES and M.E.P. SÁ ..... 275–279

**PERMIN, A.**

A survey of parasitic nematode infections of chickens in rural Zimbabwe—S. MUKARATIRWA, T. HOVE, J.B. ESMANN, C.J. HOJ, A. PERMIN and P. NANSEN ..... 183–186

**PHIRI, I.K.**

A survey on anthelmintic resistance in nematode parasites of sheep in Lusaka, Zambia—S. GABRIEL, I.K. PHIRI, P. DORNY and J. VERCRUYSSE ..... 271–274

**PICARD, J.A.**

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

**PROZESKY, L.**

Effect of pavetamine on protein synthesis in rat tissue—R.A. SCHULTZ, N. FOURIE, K.M. BASSON, L. LABUSCHAGNE and L. PROZESKY ..... 325–331

**QUIRIN, R.**

Validity of intradermal tuberculin testing for the screening of bovine tuberculosis in Madagascar—R. QUIRIN, V. RASOLOFO, R. ANDRIAMBOLOLONA, A. RAMBOASOLO, T. RASOLONAVALONA, C. AHARISOLO, H. RAKOTOARITAHINA, S. CHANTEAU and P. BOISIER ..... 231–238

**RAATH, J.P.**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

**RAKOTOARITAHINA, H.**

Validity of intradermal tuberculin testing for the screening of bovine tuberculosis in Madagascar—R. QUIRIN, V. RASOLOFO, R. ANDRIAMBOLOLONA, A. RAMBOASOLO, T. RASOLONAVALONA, C. AHARISOLO, H. RAKOTOARITAHINA, S. CHANTEAU and P. BOISIER ..... 231–238

**RAMBOASOLO, A.**

Validity of intradermal tuberculin testing for the screening of bovine tuberculosis in Madagascar—R. QUIRIN, V. RASOLOFO, R. ANDRIAMBOLOLONA, A. RAMBOASOLO, T. RASOLONAVALONA, C. AHARISOLO, H. RAKOTOARITAHINA, S. CHANTEAU and P. BOISIER ..... 231–238

**RASOLOFO, V.**

Validity of intradermal tuberculin testing for the screening of bovine tuberculosis in Madagascar—R. QUIRIN, V. RASOLOFO, R. ANDRIAMBOLOLONA, A. RAMBOASOLO, T. RASOLONAVALONA, C. AHARISOLO, H. RAKOTORITAHINA, S. CHANTEAU and P. BOISIER ..... 231–238

**RASOLONAVALONA, T.**

Validity of intradermal tuberculin testing for the screening of bovine tuberculosis in Madagascar—R. QUIRIN, V. RASOLOFO, R. ANDRIAMBOLOLONA, A. RAMBOASOLO, T. RASOLONAVALONA, C. AHARISOLO, H. RAKOTOARITAHINA, S. CHANTEAU and P. BOISIER ..... 231–238

**REGASSA, A.**

Tick infestation of Borana cattle in the Borana Province of Ethiopia—A. REGASSA ..... 41–45

**ROUX, F.**

*Lamproglena hoi* n. sp. (Copepoda: Lernaeidae) from two yellowfish hosts, *Barbus marequensis* and *Barbus polylepis*, caught in a river in Mpumalanga, South Africa—S.M. DIPPENAAR, W.J. LUUS-POWELL and F. ROUX ..... 209–215

**RUIZ DE YBÁÑEZ, M.R.**

Oral administration of mebendazole failed to reduce nematode egg shedding in captive African gazelles—J. ORTIZ, M.R. RUIZ DE YBÁÑEZ, T. ABAIGAR, M. GARIJO, G. ESPESO and M. CANO ..... 79–82

**RUMBERIA, R.M.**

Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya—J.M. WANJOHI, J.N. NGERANWA, R.M. RUMBERIA, G.R. MURAGURI and S.K. MBOGO ..... 217–223

**RUNDBERGET, T.**

Seasonal variation in cotyledoside concentration of *Tylecodon wallichii* (Harv.) Tölken subsp. *wallichii* sampled in a krimpsiekte-prevalent region—C.J. BOTHA, T. RUNDBERGET, A.L. WILKINS, M.S.G. MÜLDERS, A. FLÅØYEN and M.P. VAN AARDT ..... 1–9

**SÁ, M.E.P.**

Seroprevalence of bovine leptospirosis in Garanhuns municipal district, Pernambuco State, Brazil—A.A.F. OLIVEIRA, R.A. MOTA, G.C. FEREIRA, H. LANGONI, M.I. SOUZA, W.A. NAVEGANTES and M.E.P. SÁ ..... 275–279

**SCHULTZ, R.A.**

Effect of pavetamine on protein synthesis in rat tissue—R.A. SCHULTZ, N. FOURIE, K.M. BASSON, L. LABUSCHAGNE and L. PROZESKY ..... 325–331

**SEGADIMO, B.W.**

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

**SENKU, M.M.**

The establishment, composition and severity of infection of gastro-intestinal parasites and their impact on productivity of Tswana kids in southern Botswana—S.J. NSOSO, M.M. SENKU and O.M. MINE ..... 71–74

**SOTIROV, L.**

Changes in some factors of the innate immunity and serum zinc and iron concentrations in pigs following intravenous administration of *Escherichia coli* lipopolysaccharide—M. ANDONOVA, I. BORISSOV and L. SOTIROV ..... 91–99

**SOUZA, M.I.**

Seroprevalence of bovine leptospirosis in Garanhuns municipal district, Pernambuco State, Brazil—A.A.F. OLIVEIRA, R.A. MOTA, G.C. PEREIRA, H. LANGONI, M.I. SOUZA, W.A. NAVEGANTES and M.E.P. SÁ ..... 275–279

**SPICKETT, A.M.**

Parasites of domestic and wild animals in South Africa. XL. Ticks on dogs belonging to people in rural communities and carnivore ticks on the vegetation—I.G. HORAK, F.R. EMSLIE and A.M. SPICKETT ..... 135–141

**STARK, U.**

Studies on the critical water mass, rehydration capability and potential, acute chill tolerance and supercooling point of *Argas (Persicargas) walkerae* (Acari: Argasidae)—U. STARK and R. GOTHE ..... 11–20

**SUGIMOTO, C.**

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

**TAKAI, S.**

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

**THIBANYANE, K.M.**

Antibodies to Newcastle disease virus in the sera of indigenous chickens in Oodi, Kgatleng, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.M.K. HYERA, K.M. THIBANYANE and J. MKARIA ..... 69–70

**VAN AARDT, M.P.**

Seasonal variation in cotyledoside concentration of *Tylecodon wallichii* (Harv.) Tölken subsp. *wallichii* sampled in a krimpsiekte-prevalent region—C.J. BOTHA, T. RUNDBERGET, A.L. WILKINS, M.S.G. MÜLDERS, A. FLÅØYEN and M.P. VAN AARDT ..... 1–9

**VAN RENSBURG, H.G.**

The 3A non-structural-protein coding region of the southern African SAT type isolates differs from that of other foot-and-mouth disease viruses—L.E. HEATH, H.G. VAN RENSBURG, W. VOSLOO and L.H. NEL ..... 253–262

**VAN WYK, J.A.**

Refugia—overlooked as perhaps the most potent factor concerning the development of anthelmintic resistance—J.A. VAN WYK ..... 55–67

Clinical evaluation of anaemia in sheep: early trials—F.S. MALAN, J.A. VAN WYK and C.D. WESSELS ..... 165–174

**VERCRUYSSE, J.**

A survey on anthelmintic resistance in nematode parasites of sheep in Lusaka, Zambia—S. GABRIEL, I.K. PHIRI, P. DORNY and J. VERCRUYSSE ..... 271–274

**VILJOEN, G.J.**

Rapid detection and differentiation of Newcastle disease virus isolates by a triple one-step RT-PCR—Z. WANG, F.T. VREEDE, J.O. MITCHELL and G.J. VILJOEN ..... 131–134

**VOSLOO, W.**

The 3A non-structural-protein coding region of the southern African SAT type isolates differs from that of other foot-and-mouth disease viruses—L.E. HEATH, H.G. VAN RENSBURG, W. VOSLOO and L.H. NEL ..... 253–262

**VREEDE, F.T.**

Rapid detection and differentiation of Newcastle disease virus isolates by a triple one-step RT-PCR—Z. WANG, F.T. VREEDE, J.O. MITCHELL and G.J. VILJOEN ..... 131–134

**WANG, Z.**

Rapid detection and differentiation of Newcastle disease virus isolates by a triple one-step RT-PCR—Z. WANG, F.T. VREEDE, J.O. MITCHELL and G.J. VILJOEN ..... 131–134

**WANJOHI, J.M.**

Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya—J.M. WANJOHI, J.N. NGERANWA, R.M. RUMBERIA, G.R. MURAGURI and S.K. MBOGO ..... 217–223

**WESSELS, C.D.**

Clinical evaluation of anaemia in sheep: early trials—F.S. MALAN, J.A. VAN WYK and C.D. WESSELS ..... 165–174

**WILKINS, A.L.**

Seasonal variation in cotyledoside concentration of *Tylecodon wallichii* (Harv.) Tölken subsp. *wallichii* sampled in a krimpsiekte-prevalent region—C.J. BOTHA, T. RUNDBERGET, A.L. WILKINS, M.S.G. MÜLDERS, A. FLÅØYEN and M.P. VAN AARDT ..... 1–9

**WORTHINGTON, R.W.**

A review of the infectious disease of African wild ruminants—R.W. WORTHINGTON and R.D. BIGALKE ..... 291–323

**ZWEYGARTH, E.**

A chemically defined medium for the growth of *Cowdria ruminantium*—E. ZWEYGARTH and A.I. JOSEMANS ..... 37–40

Continuous *in vitro* propagation of *Cowdria ruminantium* (Welgevonden stock) in a canine macrophage-monocyte cell line—E. ZWEYGARTH and ANTOINETTE I. JOSEMANS ..... 155–157

ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 68 • Numbers 1–4 • 2001

# Subject index

**3A non-structural protein**

The 3A non-structural-protein coding region of the southern African SAT type isolates differs from that of other foot-and-mouth disease viruses—L.E. HEATH, H.G. VAN RENSBURG, W. VOSLOO and L.H. NEL ..... 253–262

**Acari**

Studies on the critical water mass, rehydration capability and potential, acute chill tolerance and supercooling point of *Argas (Persicargas) walkerae* (Acari: Argasidae)—U. STARK and R. GOTHE ..... 11–20

The distribution of ixodid ticks (Acari: Ixodidae) in central Ethiopia—S. MEKONNEN, I. HUSSEIN and B. BEDANE . 243–251

**African buffalo**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZER-MEYER ..... 119–130

**African gazelles**

Oral administration of mebendazole failed to reduce nematode egg shedding in captive African gazelles—J. ORTIZ, M.R. RUIZ DE YBÁÑEZ, T. ABAIGAR, M. GARIJO, G. ESPESO and M. CANO ..... 79–82

**African wild ruminants**

A review of the infectious disease of African wild ruminants—R.W. WORTHINGTON and R.D. BIGALKE ..... 291–323

***Amblyomma variegatum***

The distribution of ixodid ticks (Acari: Ixodidae) in central Ethiopia—S. MEKONNEN, I. HUSSEIN and B. BEDANE . 243–251

**Anaemia**

Clinical evaluation of anaemia in sheep: early trials—F.S. MALAN, J.A. VAN WYK and C.D. WESSELS ..... 165–174

**Angora goats**

Parasites of domestic and wild animals in South Africa. XXXIX. Helminth and arthropod parasites of Angora goats in the southern Karoo—I.G. HORAK, K.M. DE F. MACIVOR and C.J. GREEFF ..... 27–35

**Anthelmintic resistance**

Refugia—overlooked as perhaps the most potent factor concerning the development of anthelmintic resistance—J.A. VAN WYK ..... 55–67

A survey on anthelmintic resistance in nematode parasites of sheep in Lusaka, Zambia—S. GABRIEL, I.K. PHIRI, P. DORNY and J. VERCRUYSSE ..... 271–274

**Antibodies**

Antibodies to Newcastle disease virus in the sera of indigenous chickens in Oodi, Kgatleng, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.M.K. HYERA, K.M. THIBANYANE and J. MKARIA ..... 69–70

Seroprevalence of *Toxoplasma gondii* and *Chlamydia psittaci* in domestic pigeons (*Columba livia domestica*) at Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH ..... 159–161

***Argas walkerae***

Studies on the critical water mass, rehydration capability and potential, acute chill tolerance and supercooling point of *Argas (Persicargas) walkerae* (Acari: Argasidae)—U. STARK and R. GOTHE ..... 11–20

**Arthropods**

Parasites of domestic and wild animals in South Africa. XXXIX. Helminth and arthropod parasites of Angora goats in the southern Karoo—I.G. HORAK, K.M. DE F. MACIVOR and C.J. GREEFF ..... 27–35

**Baboon**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

**Balb C mice**

Transmission studies on *Trichinella* species isolated from *Crocodylus niloticus* and efficacy of fenbendazole and levamisole against muscle L1 stages in Balb C mice—S. MUKARATIRWA, K. MAGWEDERE, E. MATENGA and C.M. FOGGIN ..... 21–25

***Barbus marequensis***

*Lamproglena hoi* n. sp. (Copepoda: Lernaeidae) from two yellowfish hosts, *Barbus marequensis* and *Barbus polylepis*, caught in a river in Mpumalanga, South Africa—S.M. DIPPENAAR, W.J. LUUS-POWELL and F. ROUX ..... 209–215

***Barbus polylepis***

*Lamproglena hoi* n. sp. (Copepoda: Lernaeidae) from two yellowfish hosts, *Barbus marequensis* and *Barbus polylepis*, caught in a river in Mpumalanga, South Africa—S.M. DIPPENAAR, W.J. LUUS-POWELL and F. ROUX ..... 209–215

**Benzimidazole**

A survey on anthelmintic resistance in nematode parasites of sheep in Lusaka, Zambia—S. GABRIEL, I.K. PHIRI, P. DORNY and J. VERCRUYSSE ..... 271–274

**Bluetongue virus**

A monovalent attenuated serotype 2 bluetongue virus vaccine confers homologous protection in sheep—P. HUNTER and J. MODUMO ..... 331–333

**Bongo**

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

***Boophilus decoloratus***

The distribution of ixodid ticks (Acari: Ixodidae) in central Ethiopia—S. MEKONNEN, I. HUSSEIN and B. BEDANE . 243–251

**Borana cattle**

Tick infestation of Borana cattle in the Borana Province of Ethiopia—A. REGASSA ..... 41–45

**Botswana**

Antibodies to Newcastle disease virus in the sera of indigenous chickens in Oodi, Kgatleng, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.M.K. HYERA, K.M. THIBANYANE and J. MKARIA ..... 69–70

The establishment, composition and severity of infection of gastro-intestinal parasites and their impact on productivity of Tswana kids in southern Botswana—S.J. NSOSO, M.M. SENKU and O.M. MINE ..... 71–74

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

Seroprevalence of *Toxoplasma gondii* and *Chlamydia psittaci* in domestic pigeons (*Columba livia domestica*) at Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH ..... 159–161

**Bovine leptospirosis**

Seroprevalence of bovine leptospirosis in Garanhuns municipal district, Pernambuco State, Brazil—A.A.F. OLIVEIRA, R.A. MOTA, G.C. FEREIRA, H. LANGONI, M.I. SOUZA, W.A. NAVEGANTES and M.E.P. SÁ ..... 275–279

**Bovine tuberculosis**

Validity of intradermal tuberculin testing for the screening of bovine tuberculosis in Madagascar—R. QUIRIN, V. RASOLOFO, R. ANDRIAMBOLOLONA, A. RAMBOASOLO, T. RASOLONAVALONA, C. AHARISOLO, H. RAKOTOARITAHINA, S. CHANTEAU and P. BOISIER ..... 231–238

**Brazil**

Seroprevalence of bovine leptospirosis in Garanhuns municipal district, Pernambuco State, Brazil—A.A.F. OLIVEIRA, R.A. MOTA, G.C. FEREIRA, H. LANGONI, M.I. SOUZA, W.A. NAVEGANTES and M.E.P. SÁ ..... 275–279

**Buffalo**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

Exposure of cattle immunized with different stocks of *Theileria parva* to buffalo-associated *Theileria* challenge on two game parks in Zimbabwe—A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 197–201

Tuberculosis in kudus (*Tragelaphus strepsiceros*) in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS and A.L. MICHEL ..... 225–230

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

**Canine macrophage-monocyte cell line**

Continuous *in vitro* propagation of *Cowdria ruminantium* (Welgevonden stock) in a canine macrophage-monocyte cell line—E. ZWEYGARTH and ANTOINETTE I. JOSEMANS ..... 155–157

**Capripox virus**

Alternative cell lines for the propagation of lumpy skin disease virus—Y.S. BINEPAL, F.A. ONGADI and J.C. CHEPKWONY ..... 151–153

**Cardiac glycoside**

Seasonal variation in cotyledoside concentration of *Tylecodon wallichii* (Harv.) Tölken subsp. *wallichii* sampled in a krimpsiekte-prevalent region—C.J. BOTHA, T. RUNDBERGET, A.L. WILKINS, M.S.G. MÜLDERS, A. FLÅØYEN and M.P. VAN AARDT ..... 1–9

**Carnivore ticks**

Parasites of domestic and wild animals in South Africa. XL. Ticks on dogs belonging to people in rural communities and carnivore ticks on the vegetation—I.G. HORAK, F.R. EMSLIE and A.M. SPICKETT ..... 135–141

**Carrier-state**

Laboratory and field investigations into the *Theileria parva* carrier-state in cattle in Zimbabwe— A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 203–208

**Cattle**

Tick infestation of Borana cattle in the Borana Province of Ethiopia—A. REGASSA ..... 41–45

Refugia—overlooked as perhaps the most potent factor concerning the development of anthelmintic resistance—J.A. VAN WYK ..... 55–67

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

Epidemiological observations of Zimbabwean theileriosis: Disease incidence and pathogenicity in susceptible cattle during *Rhipicephalus appendiculatus* nymphal and adult seasonal activities—A.A. LATIF, T. HOVE, G.K. KANHAI, S. MASAKA and R.G. PEGRAM ..... 187–195

Exposure of cattle immunized with different stocks of *Theileria parva* to buffalo-associated *Theileria* challenge on two game parks in Zimbabwe—A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 197–201

Laboratory and field investigations into the *Theileria parva* carrier-state in cattle in Zimbabwe— A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 203–208

Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya—J.M. WANJOHI, J.N. NGERANWA, R.M. RUMBERIA, G.R. MURAGURI and S.K. MBOGO ..... 217–223

Validity of intradermal tuberculin testing for the screening of bovine tuberculosis in Madagascar—R. QUIRIN, V. RASOLOFO, R. ANDRIAMBOLOLONA, A. RAMBOASOLO, T. RASOLONAVALONA, C. AHARISOLO, H. RAKOTOARITAHINA, S. CHANTEAU and P. BOISIER ..... 231–238

The distribution of ixodid ticks (Acari: Ixodidae) in central Ethiopia—S. MEKONNEN, I. HUSSEIN and B. BEDANE . 243–251

Seroprevalence of bovine leptospirosis in Garanhuns municipal district, Pernambuco State, Brazil—A.A.F. OLIVEIRA, R.A. MOTA, G.C. FEREIRA, H. LANGONI, M.I. SOUZA, W.A. NAVEGANTES and M.E.P. SÁ ..... 275–279

**Cestodes**

Parasites of domestic and wild animals in South Africa. XXXIX. Helminth and arthropod parasites of Angora goats in the southern Karoo—I.G. HORAK, K.M. DE F. MACIVOR and C.J. GREEFF ..... 27–35

Intestinal helminths of four species of skinks (*Mabuya*) (Sauria: Scincidae) from southern Africa—S.R. GOLDBERG and C.R. BURSEY ..... 143–147

**Cheetah**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

**Chickens**

Antibodies to Newcastle disease virus in the sera of indigenous chickens in Oodi, Kgatleng, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.M.K. HYERA, K.M. THIBANYANE and J. MKARIA ..... 69–70

A survey of parasitic nematode infections of chickens in rural Zimbabwe—S. MUKARATIRWA, T. HOVE, J.B. ESMANN, C.J. HOJ, A. PERMIN and P. NANSEN ..... 183–186

***Chlamydophila psittaci***

Seroprevalence of *Toxoplasma gondii* and *Chlamydia psittaci* in domestic pigeons (*Columba livia domestica*) at Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH ..... 159–161

**Coccidia**

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

The establishment, composition and severity of infection of gastro-intestinal parasites and their impact on productivity of Tswana kids in southern Botswana—S.J. NSOSO, M.M. SENKU and O.M. MINE ..... 71–74

***Columba livia domestica***

Seroprevalence of *Toxoplasma gondii* and *Chlamydia psittaci* in domestic pigeons (*Columba livia domestica*) at Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH ..... 159–161

**Community health**

Helminths in dogs belonging to people in a resource-limited urban community in Gauteng, South Africa—W.N. MINNAAR and R.C. KRECEK ..... 111–117

**Congo**

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

**Copepoda**

*Lamproglena hoi* n. sp. (Copepoda: Lernaeidae) from two yellowfish hosts, *Barbus marequensis* and *Barbus polylepis*, caught in a river in Mpumalanga, South Africa—S.M. DIPPENAAR, W.J. LUUS-POWELL and F. ROUX ..... 209–215

**Cotyledoside**

Seasonal variation in cotyledoside concentration of *Tylecodon wallichii* (Harv.) Tölken subsp. *wallichii* sampled in a krimpsiekte-prevalent region—C.J. BOTHA, T. RUNDBERGET, A.L. WILKINS, M.S.G. MÜLDERS, A. FLÅØYEN and M.P. VAN AARDT ..... 1–9

***Cowdria ruminantium***

A chemically defined medium for the growth of *Cowdria ruminantium*—E. ZWEYGARTH and A.I. JOSEMANS ..... 37–40

Continuous *in vitro* propagation of *Cowdria ruminantium* (Welgevonden stock) in a canine macrophage-monocyte cell line—E. ZWEYGARTH and ANTOINETTE I. JOSEMANS ..... 155–157

The distribution of ixodid ticks (Acari: Ixodidae) in central Ethiopia—S. MEKONNEN, I. HUSSEIN and B. BEDANE . 243–251

**Crassulaceae**

Seasonal variation in cotyledoside concentration of *Tylecodon wallichii* (Harv.) Tölken subsp. *wallichii* sampled in a krimpsiekte-prevalent region—C.J. BOTHA, T. RUNDBERGET, A.L. WILKINS, M.S.G. MÜLDERS, A. FLÅØYEN and M.P. VAN AARDT ..... 1–9

**Crocodile**

Transmission studies on *Trichinella* species isolated from *Crocodylus niloticus* and efficacy of fenbendazole and levamisole against muscle L1 stages in Balb C mice—S. MUKARATIRWA, K. MAGWEDERE, E. MATENGA and C.M. FOGGIN ..... 21–25

Vaccination to control an outbreak of *Mycoplasma crocodyli* infection—K. MOHAN, C.M. FOGGIN, F. DZIVA and P. MUVAVARIRWA ..... 149–150

***Chrysops* sp.**

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

**Cycloheximide**

Continuous *in vitro* propagation of *Cowdria ruminantium* (Welgevonden stock) in a canine macrophage-monocyte cell line—E. ZWEYGARTH and ANTOINETTE I. JOSEMANS ..... 155–157

**Cyclopoida**

*Lamproglena hoi* n. sp. (Copepoda: Lernaeidae) from two yellowfish hosts, *Barbus marequensis* and *Barbus polylepis*, caught in a river in Mpumalanga, South Africa—S.M. DIPPENAAR, W.J. LUUS-POWELL and F. ROUX ..... 209–215

**Dairy cattle**

The distribution of ixodid ticks (Acari: Ixodidae) in central Ethiopia—S. MEKONNEN, I. HUSSEIN and B. BEDANE . 243–251

***Dermacentor rhinocerinus***

Hosts of the immature stages of the rhinoceros tick, *Dermacentor rhinocerinus* (Acari: Ixodidae)—I.G. HORAK and M. COHEN ..... 75–77

**Dog**

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

Helminths in dogs belonging to people in a resource-limited urban community in Gauteng, South Africa—W.N. MINNAAR and R.C. KRECEK ..... 111–117

Parasites of domestic and wild animals in South Africa. XL. Ticks on dogs belonging to people in rural communities and carnivore ticks on the vegetation—I.G. HORAK, F.R. EMSLIE and A.M. SPICKETT ..... 135–141

Diversity, seasonality and sites of attachment of adult ixodid ticks on dogs in the central region of the Free State Province, South Africa—P.A.H. JACOBS, L.J. FOURIE, D.J. KOK and I.G. HORAK ..... 281–290

**Domestic pigeons**

Seroprevalence of *Toxoplasma gondii* and *Chlamydia psittaci* in domestic pigeons (*Columba livia domestica*) at Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH ..... 159–161

**Ductus arteriosus**

Closure of the ductus arteriosus of indigenous South African goats at high altitude—L.O.C. OHALE ..... 47–53

**East Coast fever**

Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya—J.M. WANJOHI, J.N. NGERANWA, R.M. RUMBERIA, G.R. MURAGURI and S.K. MBOGO ..... 217–223

***Elaeophora sagitta***

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

**Epidemiology**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

Epidemiological observations of Zimbabwean theileriosis: Disease incidence and pathogenicity in susceptible cattle during *Rhipicephalus appendiculatus* nymphal and adult seasonal activities—A.A. LATIF, T. HOVE, G.K. KANHAI, S. MASAKA and R.G. PEGRAM ..... 187–195

Laboratory and field investigations into the *Theileria parva* carrier-state in cattle in Zimbabwe— A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 203–208

A review of the infectious disease of African wild ruminants—R.W. WORTHINGTON and R.D. BIGALKE ..... 291–323

***Escherichia coli***

Changes in some factors of the innate immunity and serum zinc and iron concentrations in pigs following intra-venous administration of *Escherichia coli* lipopolysaccharide—M. ANDONOVA, I. BORISSOV and L. SOTIROV ..... 91–99

**Ethiopia**

Tick infestation of Borana cattle in the Borana Province of Ethiopia—A. REGASSA ..... 41–45

The distribution of ixodid ticks (Acari: Ixodidae) in central Ethiopia—S. MEKONNEN, I. HUSSEIN and B. BEDANE . 243–251

***Fainia elongata***

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

**Fenbendazole**

Transmission studies on *Trichinella* species isolated from *Crocodylus niloticus* and efficacy of fenbendazole and levamisole against muscle L1 stages in Balb C mice—S. MUKARATIRWA, K. MAGWEDERE, E. MATENGA and C.M. FOGGIN ..... 21–25

**Foetal bovine muscle cells**

Alternative cell lines for the propagation of lumpy skin disease virus—Y.S. BINEPAL, F.A. ONGADI and J.C. CHEPKWONY ..... 151–153

**Foot-and-mouth disease virus**

The 3A non-structural-protein coding region of the southern African SAT type isolates differs from that of other foot-and-mouth disease viruses—L.E. HEATH, H.G. VAN RENSBURG, W. VOSLOO and L.H. NEL ..... 253–262

**Free State**

Diversity, seasonality and sites of attachment of adult ixodid ticks on dogs in the central region of the Free State Province, South Africa—P.A.H. JACOBS, L.J. FOURIE, D.J. KOK and I.G. HORAK ..... 281–290

**Gastrointestinal nematodes/parasites**

Refugia—overlooked as perhaps the most potent factor concerning the development of anthelmintic resistance—J.A. VAN WYK ..... 55–67

The establishment, composition and severity of infection of gastro-intestinal parasites and their impact on productivity of Tswana kids in southern Botswana—S.J. NSOSO, M.M. SENKU and O.M. MINE ..... 71–74

**Gauteng**

Helminths in dogs belonging to people in a resource-limited urban community in Gauteng, South Africa—W.N. MINNAAR and R.C. KRECEK ..... 111–117

**Gazelles**

Oral administration of mebendazole failed to reduce nematode egg shedding in captive African gazelles—J. ORTIZ, M.R. RUIZ DE YBÁÑEZ, T. ABAIGAR, M. GARIJO, G. ESPESO and M. CANO ..... 79–82

***Glossina brevipalpis***

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

**Goats**

Seasonal variation in cotyledoside concentration of *Tylecodon wallichii* (Harv.) Tölken subsp. *wallichii* sampled in a krimpsiekte-prevalent region—C.J. BOTHA, T. RUNDBERGET, A.L. WILKINS, M.S.G. MÜLDERS, A. FLÅØYEN and M.P. VAN AARDT ..... 1–9

Parasites of domestic and wild animals in South Africa. XXXIX. Helminth and arthropod parasites of Angora goats in the southern Karoo—I.G. HORAK, K.M. DE F. MACIVOR and C.J. GREEFF ..... 27–35

Closure of the ductus arteriosus of indigenous South African goats at high altitude—L.O.C. OHALE ..... 47–53

The establishment, composition and severity of infection of gastro-intestinal parasites and their impact on productivity of Tswana kids in southern Botswana—S.J. NSOSO, M.M. SENKU and O.M. MINE ..... 71–74

Immunohistochemical and histopathological studies of fixed rabies virus in goats—S. ATALAY VURAL, G. ALCIGIR and S. BERKIN ..... 83–89

***Haemaphysalis leachi***

Parasites of domestic and wild animals in South Africa. XL. Ticks on dogs belonging to people in rural communities and carnivore ticks on the vegetation—I.G. HORAK, F.R. EMSLIE and A.M. SPICKETT ..... 135–141

Diversity, seasonality and sites of attachment of adult ixodid ticks on dogs in the central region of the Free State Province, South Africa—P.A.H. JACOBS, L.J. FOURIE, D.J. KOK and I.G. HORAK ..... 281–290

**Haematocrit**

The establishment, composition and severity of infection of gastro-intestinal parasites and their impact on productivity of Tswana kids in southern Botswana—S.J. NSOSO, M.M. SENKU and O.M. MINE ..... 71–74

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

Clinical evaluation of anaemia in sheep: early trials—F.S. MALAN, J.A. VAN WYK and C.D. WESSELS ..... 165–174

***Haemonchus contortus***

Clinical evaluation of anaemia in sheep: early trials—F.S. MALAN, J.A. VAN WYK and C.D. WESSELS ..... 165–174

A survey on anthelmintic resistance in nematode parasites of sheep in Lusaka, Zambia—S. GABRIEL, I.K. PHIRI, P. DORNY and J. VERCRUYSSE ..... 271–274

**Heartwater**

Continuous *in vitro* propagation of *Cowdria ruminantium* (Welgevonden stock) in a canine macrophage-monocyte cell line—E. ZWEYGARTH and ANTOINETTE I. JOSEMANS ..... 155–157

**Helminths**

Parasites of domestic and wild animals in South Africa. XXXIX. Helminth and arthropod parasites of Angora goats in the southern Karoo—I.G. HORAK, K.M. DE F. MACIVOR and C.J. GREEFF ..... 27–35

Helminths in dogs belonging to people in a resource-limited urban community in Gauteng, South Africa—W.N. MINNAAR and R.C. KRECEK ..... 111–117

Intestinal helminths of four species of skinks (*Mabuya*) (Sauria: Scincidae) from southern Africa—S.R. GOLDBERG and C.R. BURSEY ..... 143–147

**Histopathology**

Immunohistochemical and histopathological studies of fixed rabies virus in goats—S. ATALAY VURAL, G. ALCIGIR and S. BERKIN ..... 83–89

**Horses**

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

**IFA**

Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya—J.M. WANJOHI, J.N. NGERANWA, R.M. RUMBERIA, G.R. MURAGURI and S.K. MBOGO ..... 217–223

**Immature stages**

Hosts of the immature stages of the rhinoceros tick, *Dermacentor rhinocerinus* (Acari, Ixodidae)—I.G. HORAK and M. COHEN ..... 75–77

**Immunization**

Exposure of cattle immunized with different stocks of *Theileria parva* to buffalo-associated *Theileria* challenge on two game parks in Zimbabwe—A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 197–201

Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya—J.M. WANJOHI, J.N. NGERANWA, R.M. RUMBERIA, G.R. MURAGURI and S.K. MBOGO ..... 217–223

**Immunofluorescence**

Immunohistochemical and histopathological studies of fixed rabies virus in goats—S. ATALAY VURAL, G. ALCIGIR and S. BERKIN ..... 83–89

**Immunoperoxidase**

Immunohistochemical and histopathological studies of fixed rabies virus in goats—S. ATALAY VURAL, G. ALCIGIR and S. BERKIN ..... 83–89

**Infectious diseases/Infection**

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

Vaccination to control an outbreak of *Mycoplasma crocodyli* infection—K. MOHAN, C.M. FOGGIN, F. DZIVA and P. MUVAVARIRWA ..... 149–150

A review of the infectious disease of African wild ruminants—R.W. WORTHINGTON and R.D. BIGALKE ..... 291–323

***In vitro* cultivation**

A chemically defined medium for the growth of *Cowdria ruminantium*—E. ZWEYGARTH and A.I. JOSEMANS ..... 37–40

Continuous *in vitro* propagation of *Cowdria ruminantium* (Welgevonden stock) in a canine macrophage-monocyte cell line—E. ZWEYGARTH and ANTOINETTE I. JOSEMANS ..... 155–157

**Infestation**

Tick infestation of Borana cattle in the Borana Province of Ethiopia—A. REGASSA ..... 41–45

**Internal parasites**

The establishment, composition and severity of infection of gastro-intestinal parasites and their impact on productivity of Tswana kids in southern Botswana—S.J. NSOSO, M.M. SENKU and O.M. MINE ..... 71–74

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

**Irrigated pasture**

Clinical evaluation of anaemia in sheep: early trials—F.S. MALAN, J.A. VAN WYK and C.D. WESSELS ..... 165–174

**Ivermectin**

A survey on anthelmintic resistance in nematode parasites of sheep in Lusaka, Zambia—S. GABRIEL, I.K. PHIRI, P. DORNY and J. VERCRUYSSE ..... 271–274

**Ixodidae**

Hosts of the immature stages of the rhinoceros tick, *Dermacentor rhinocerinus* (Acari: Ixodidae)—I.G. HORAK and M. COHEN ..... 75–77

**Ixodid ticks**

Parasites of domestic and wild animals in South Africa. XXXIX. Helminth and arthropod parasites of Angora goats in the southern Karoo—I.G. HORAK, K.M. DE F. MACIVOR and C.J. GREEFF ..... 27–35

Parasites of domestic and wild animals in South Africa. XL. Ticks on dogs belonging to people in rural communities and carnivore ticks on the vegetation—I.G. HORAK, F.R. EMSLIE and A.M. SPICKETT ..... 135–141

Diversity, seasonality and sites of attachment of adult ixodid ticks on dogs in the central region of the Free State Province, South Africa—P.A.H. JACOBS, L.J. FOURIE, D.J. KOK and I.G. HORAK ..... 281–290

**Karoo**

Parasites of domestic and wild animals in South Africa. XXXIX. Helminth and arthropod parasites of Angora goats in the southern Karoo—I.G. HORAK, K.M. DE F. MACIVOR and C.J. GREEFF ..... 27–35

**Kenya**

Alternative cell lines for the propagation of lumpy skin disease virus—Y.S. BINEPAL, F.A. ONGADI and J.C. CHEPKWONY ..... 151–153

Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya—J.M. WANJOHI, J.N. NGERANWA, R.M. RUMBERIA, G.R. MURAGURI and S.K. MBOGO ..... 217–223

**Krimpsiekte**

Seasonal variation in cotyledoside concentration of *Tylecodon wallichii* (Harv.) Tölken subsp. *wallichii* sampled in a krimpsiekte-prevalent region—C.J. BOTHA, T. RUNDBERGET, A.L. WILKINS, M.S.G. MÜLDERS, A. FLÅØYEN and M.P. VAN AARDT ..... 1–9

**Kruger National Park**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

Tuberculosis in kudus (*Tragelaphus strepsiceros*) in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS and A.L. MICHEL ..... 225–230

**Kudu**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

Tuberculosis in kudus (*Tragelaphus strepsiceros*) in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS and A.L. MICHEL ..... 225–230

Tuberculosis, caused by *Mycobacterium bovis*, in a kudu (*Tragelaphus strepsiceros*) from a commercial game farm in the Malelane area of the Mpumalanga Province, South Africa—R.G. BENGIS, D.F. KEET, A.L. MICHEL and N.P.J. KRIEK ..... 239–241

***Lamproglena hoi***

*Lamproglena hoi* n. sp. (Copepoda: Lernaeidae) from two yellowfish hosts, *Barbus marequensis* and *Barbus polylepis*, caught in a river in Mpumalanga, South Africa—S.M. DIPPENAAR, W.J. LUUS-POWELL and F. ROUX ..... 209–215

**Leopard**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

**Leptospirosis**

Seroprevalence of bovine leptospirosis in Garanhuns municipal district, Pernambuco State, Brazil—A.A.F. OLIVEIRA, R.A. MOTA, G.C. FEREIRA, H. LANGONI, M.I. SOUZA, W.A. NAVEGANTES and M.E.P. SÁ ..... 275–279

**Levamisole**

Transmission studies on *Trichinella* species isolated from *Crocodylus niloticus* and efficacy of fenbendazole and levamisole against muscle L1 stages in Balb C mice—S. MUKARATIRWA, K. MAGWEDERE, E. MATENGA and C.M. FOGGIN ..... 21–25

A survey on anthelmintic resistance in nematode parasites of sheep in Lusaka, Zambia—S. GABRIEL, I.K. PHIRI, P. DORNY and J. VERCRUYSSE ..... 271–274

**Lice**

Parasites of domestic and wild animals in South Africa. XXXIX. Helminth and arthropod parasites of Angora goats in the southern Karoo—I.G. HORAK, K.M. DE F. MACIVOR and C.J. GREEFF ..... 27–35

**Lion**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZER-MEYER ..... 119–130

**Lipopolysaccharide**

Changes in some factors of the innate immunity and serum zinc and iron concentrations in pigs following intra-venous administration of *Escherichia coli* lipopolysaccharide—M. ANDONOVA, I. BORISSOV and L. SOTIROV ..... 91–99

**Lizards**

Intestinal helminths of four species of skinks (*Mabuya*) (Sauria: Scincidae) from southern Africa—S.R. GOLDBERG and C.R. BURSEY ..... 143–147

**Lumpy skin disease virus**

Alternative cell lines for the propagation of lumpy skin disease virus—Y.S. BINEPAL, F.A. ONGADI and J.C. CHEP-KWONY ..... 151–153

***Mabuya***

Intestinal helminths of four species of skinks (*Mabuya*) (Sauria: Scincidae) from southern Africa—S.R. GOLDBERG and C.R. BURSEY ..... 143–147

**Madagascar**

Validity of intradermal tuberculin testing for the screening of bovine tuberculosis in Madagascar—R. QUIRIN, V. RASO-LOFO, R. ANDRIAMBOLOLONA, A. RAMBOASOLO, T. RASOLONAVALONA, C. AHARISOLO, H. RAKOTO-ARITAHINA, S. CHANTEAU and P. BOISIER ..... 231–238

**Marikebuni**

Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya—J.M. WANJOHI, J.N. NGERANWA, R.M. RUMBERIA, G.R. MURAGURI and S.K. MBOGO ..... 217–223

**Mebendazole**

Oral administration of mebendazole failed to reduce nematode egg shedding in captive African gazelles—J. ORTIZ, M.R. RUIZ DE YBÁÑEZ, T. ABAIGAR, M. GARIJO, G. ESPESO and M. CANO ..... 79–82

**Mediterranean countries**

A monovalent attenuated serotype 2 bluetongue virus vaccine confers homologous protection in sheep—P. HUNTER and J. MODUMO ..... 331–333

***Monezia expansa***

The establishment, composition and severity of infection of gastro-intestinal parasites and their impact on productivity of Tswana kids in southern Botswana—S.J. NSOSO, M.M. SENKU and O.M. MINE ..... 71–74

**Monkey**

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

***Mycobacterium bovis***

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZER-MEYER ..... 119–130

Tuberculosis, caused by *Mycobacterium bovis*, in a kudu (*Tragelaphus strepsiceros*) from a commercial game farm in the Malelane area of the Mpumalanga Province, South Africa—R.G. BENGIS, D.F. KEET, A.L. MICHEL and N.P.J. KRIEK ..... 239–241

***Mycoplasma crocodyli***

Vaccination to control an outbreak of *Mycoplasma crocodyli* infection—K. MOHAN, C.M. FOGGIN, F. DZIVA and P. MUVAVARIRWA ..... 149–150

**Nasal bot fly larvae**

Parasites of domestic and wild animals in South Africa. XXXIX. Helminth and arthropod parasites of Angora goats in the southern Karoo—I.G. HORAK, K.M. DE F. MACIVOR and C.J. GREEFF ..... 27–35

**Nematodes**

Parasites of domestic and wild animals in South Africa. XXXIX. Helminth and arthropod parasites of Angora goats in the southern Karoo—I.G. HORAK, K.M. DE F. MACIVOR and C.J. GREEFF ..... 27–35

Oral administration of mebendazole failed to reduce nematode egg shedding in captive African gazelles—J. ORTIZ, M.R. RUIZ DE YBÁÑEZ, T. ABAIGAR, M. GARIJO, G. ESPESO and M. CANO ..... 79–82

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

Intestinal helminths of four species of skinks (*Mabuya*) (Sauria: Scincidae) from southern Africa—S.R. GOLDBERG and C.R. BURSEY ..... 143–147

A survey of parasitic nematode infections of chickens in rural Zimbabwe—S. MUKARATIRWA, T. HOVE, J.B. ESMANN, C.J. HOJ, A. PERMIN and P. NANSEN ..... 183–186

**Newcastle disease virus (NDV)**

Antibodies to Newcastle disease virus in the sera of indigenous chickens in Oodi, Kgatleng, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.M.K. HYERA, K.M. THIBANYANE and J. MKARIA ..... 69–70

Rapid detection and differentiation of Newcastle disease virus isolates by a triple one-step RT-PCR—Z. WANG, F.T. VREEDE, J.O. MITCHELL and G.J. VILJOEN ..... 131–134

**Oral bacterial flora**

Normal oral bacterial flora from some southern African snakes—R.S.M. BLAYLOCK ..... 175–182

**Packed cell volume**

The establishment, composition and severity of infection of gastro-intestinal parasites and their impact on productivity of Tswana kids in southern Botswana—S.J. NSOSO, M.M. SENKU and O.M. MINE ..... 71–74

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

**Parasites**

Parasites of domestic and wild animals in South Africa. XXXIX. Helminth and arthropod parasites of Angora goats in the southern Karoo—I.G. HORAK, K.M. DE F. MACIVOR and C.J. GREEFF ..... 27–35

The establishment, composition and severity of infection of gastro-intestinal parasites and their impact on productivity of Tswana kids in southern Botswana—S.J. NSOSO, M.M. SENKU and O.M. MINE ..... 71–74

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

Parasites of domestic and wild animals in South Africa. XL. Ticks on dogs belonging to people in rural communities and carnivore ticks on the vegetation—I.G. HORAK, F.R. EMSLIE and A.M. SPICKETT ..... 135–141

A survey on anthelmintic resistance in nematode parasites of sheep in Lusaka, Zambia—S. GABRIEL, I.K. PHIRI, P. DORNY and J. VERCRUYSSE ..... 271–274

**Pavetamine**

Effect of pavetamine on protein synthesis in rat tissue—R.A. SCHULTZ, N. FOURIE, K.M. BASSON, L. LABUSCHAGNE and L. PROZESKY ..... 325–331

**Phagocytosis**

Changes in some factors of the innate immunity and serum zinc and iron concentrations in pigs following intravenous administration of *Escherichia coli* lipopolysaccharide—M. ANDONOVA, I. BORISSOV and L. SOTIROV ..... 91–99

**Picornavirus**

The 3A non-structural-protein coding region of the southern African SAT type isolates differs from that of other foot-and-mouth disease viruses—L.E. HEATH, H.G. VAN RENSBURG, W. VOSLOO and L.H. NEL ..... 253–262

**Pigs**

Changes in some factors of the innate immunity and serum zinc and iron concentrations in pigs following intra-venous administration of *Escherichia coli* lipopolysaccharide—M. ANDONOVA, I. BORISSOV and L. SOTIROV ..... 91–99

**Plasmids**

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

**Protein**

The 3A non-structural-protein coding region of the southern African SAT type isolates differs from that of other foot-and-mouth disease viruses—L.E. HEATH, H.G. VAN RENSBURG, W. VOSLOO and L.H. NEL ..... 253–262

Effect of pavetamine on protein synthesis in rat tissue—R.A. SCHULTZ, N. FOURIE, K.M. BASSON, L. LABUSCHAGNE and L. PROZESKY ..... 325–331

***Proteus* spp.**

Normal oral bacterial flora from some southern African snakes—R.S.M. BLAYLOCK ..... 175–182

***Pseudomonas* spp.**

Normal oral bacterial flora from some southern African snakes—R.S.M. BLAYLOCK ..... 175–182

**Rabies virus**

Immunohistochemical and histopathological studies of fixed rabies virus in goats—S. ATALAY VURAL, G. ALCIGIR and S. BERKIN ..... 83–89

**Rat**

Effect of pavetamine on protein synthesis in rat tissue—R.A. SCHULTZ, N. FOURIE, K.M. BASSON, L. LABUSCHAGNE and L. PROZESKY ..... 325–331

**Refugia**

Refugia—overlooked as perhaps the most potent factor concerning the development of anthelmintic resistance—J.A. VAN WYK ..... 55–67

**Rehydration**

Studies on the critical water mass, rehydration capability and potential, acute chill tolerance and supercooling point of *Argas (Persicargas) walkerae* (Acari: Argasidae)—U. STARK and R. GOTHE ..... 11–20

**Rhinoceros tick**

Hosts of the immature stages of the rhinoceros tick, *Dermacentor rhinocerinus* (Acari, Ixodidae)—I.G. HORAK and M. COHEN ..... 75–77

***Rhipicephalus appendiculatus***

Epidemiological observations of Zimbabwean theileriosis: Disease incidence and pathogenicity in susceptible cattle during *Rhipicephalus appendiculatus* nymphal and adult seasonal activities—A.A. LATIF, T. HOVE, G.K. KANHAI, S. MASAKA and R.G. PEGRAM ..... 187–195

Exposure of cattle immunized with different stocks of *Theileria parva* to buffalo-associated *Theileria* challenge on two game parks in Zimbabwe—A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 197–201

***Rhipicephalus sanguineus***

Diversity, seasonality and sites of attachment of adult ixodid ticks on dogs in the central region of the Free State Province, South Africa—P.A.H. JACOBS, L.J. FOURIE, D.J. KOK and I.G. HORAK ..... 281–290

***Rhipicephalus simus***

Parasites of domestic and wild animals in South Africa. XL. Ticks on dogs belonging to people in rural communities and carnivore ticks on the vegetation—I.G. HORAK, F.R. EMSLIE and A.M. SPICKETT ..... 135–141

***Rhipicephalus turanicus***

Parasites of domestic and wild animals in South Africa. XL. Ticks on dogs belonging to people in rural communities and carnivore ticks on the vegetation—I.G. HORAK, F.R. EMSLIE and A.M. SPICKETT ..... 135–141

***Rhodococcus equi***

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

**Rodent hosts**

Hosts of the immature stages of the rhinoceros tick, *Dermacentor rhinocerinus* (Acari, Ixodidae)—I.G. HORAK and M. COHEN ..... 75–77

**Roundworms**

The establishment, composition and severity of infection of gastro-intestinal parasites and their impact on productivity of Tswana kids in southern Botswana—S.J. NSOSO, M.M. SENKU and O.M. MINE ..... 71–74

**RT-PCR**

Rapid detection and differentiation of Newcastle disease virus isolates by a triple one-step RT-PCR—Z. WANG, F.T. VREEDE, J.O. MITCHELL and G.J. VILJOEN ..... 131–134

***Salmonella arizonae***

Normal oral bacterial flora from some southern African snakes—R.S.M. BLAYLOCK ..... 175–182

**SAT type isolates**

The 3A non-structural-protein coding region of the southern African SAT type isolates differs from that of other foot-and-mouth disease viruses—L.E. HEATH, H.G. VAN RENSBURG, W. VOSLOO and L.H. NEL ..... 253–262

**Sauria: Scincidae**

Intestinal helminths of four species of skinks (*Mabuya*) (Sauria: Scincidae) from southern Africa—S.R. GOLDBERG and C.R. BURSEY ..... 143–147

**Seasonality**

Parasites of domestic and wild animals in South Africa. XL. Ticks on dogs belonging to people in rural communities and carnivore ticks on the vegetation—I.G. HORAK, F.R. EMSLIE and A.M. SPICKETT ..... 135–141

Diversity, seasonality and sites of attachment of adult ixodid ticks on dogs in the central region of the Free State Province, SouthAfrica—P.A.H. JACOBS, L.J. FOURIE, D.J. KOK and I.G. HORAK ..... 281–290

**Serotype 2 bluetongue virus**

A monovalent attenuated serotype 2 bluetongue virus vaccine confers homologous protection in sheep—P. HUNTER and J. MODUMO ..... 331–333

**Sheep**

Seasonal variation in cotyledoside concentration of *Tylecodon wallichii* (Harv.) Tölken subsp. *wallichii* sampled in a krimpsiekte-prevalent region—C.J. BOTHA, T. RUNDBERGET, A.L. WILKINS, M.S.G. MÜLDERS, A. FLÅØYEN and M.P. VAN AARDT ..... 1–9

Refugia—overlooked as perhaps the most potent factor concerning the development of anthelmintic resistance—J.A. VAN WYK ..... 55–67

Clinical evaluation of anaemia in sheep: early trials—F.S. MALAN, J.A. VAN WYK and C.D. WESSELS ..... 165–174

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

A survey on anthelmintic resistance in nematode parasites of sheep in Lusaka, Zambia—S. GABRIEL, I.K. PHIRI, P. DORNY and J. VERCRUYSSE ..... 271–274

A monovalent attenuated serotype 2 bluetongue virus vaccine confers homologous protection in sheep—P. HUNTER and J. MODUMO ..... 331–333

**Skinks**

Intestinal helminths of four species of skinks (*Mabuya*) (Sauria: Scincidae) from southern Africa—S.R. GOLDBERG and C.R. BURSEY ..... 143–147

**Snakes**

Normal oral bacterial flora from some southern African snakes—R.S.M. BLAYLOCK ..... 175–182

**Soil**

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

**South Africa**

Closure of the ductus arteriosus of indigenous South African goats at high altitude—L.O.C. OHALE ..... 47–53

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

Helminths in dogs belonging to people in a resource-limited urban community in Gauteng, South Africa—W.N. MINNAAR and R.C. KRECEK ..... 111–117

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

Parasites of domestic and wild animals in South Africa. XL. Ticks on dogs belonging to people in rural communities and carnivore ticks on the vegetation—I.G. HORAK, F.R. EMSLIE and A.M. SPICKETT ..... 135–141

Intestinal helminths of four species of skinks (*Mabuya*) (Sauria: Scincidae) from southern Africa—S.R. GOLDBERG and C.R. BURSEY ..... 143–147

Normal oral bacterial flora from some southern African snakes—R.S.M. BLAYLOCK ..... 175–182

*Lamproglena hoi* n. sp. (Copepoda: Lernaeidae) from two yellowfish hosts, *Barbus marequensis* and *Barbus polylepis*, caught in a river in Mpumalanga, South Africa—S.M. DIPPENAAR, W.J. LUUS-POWELL and F. ROUX ..... 209–215

Tuberculosis in kudus (*Tragelaphus strepsiceros*) in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS and A.L. MICHEL ..... 225–230

Tuberculosis, caused by *Mycobacterium bovis*, in a kudu (*Tragelaphus strepsiceros*) from a commercial game farm in the Malelane area of the Mpumalanga Province, South Africa—R.G. BENGIS, D.F. KEET, A.L. MICHEL and N.P.J. KRIEK ..... 239–241

Diversity, seasonality and sites of attachment of adult ixodid ticks on dogs in the central region of the Free State Province, South Africa—P.A.H. JACOBS, L.J. FOURIE, D.J. KOK and I.G. HORAK ..... 281–290

***Staphylococcus epidermidis***

Normal oral bacterial flora from some southern African snakes—R.S.M. BLAYLOCK ..... 175–182

***Stomoxys omega***

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

***Syncerus caffer***

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

Tuberculosis in kudus (*Tragelaphus strepsiceros*) in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS and A.L. MICHEL ..... 225–230

***Syncerus caffer nanus***

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

***Theileria parva***

Epidemiological observations of Zimbabwean theileriosis: Disease incidence and pathogenicity in susceptible cattle during *Rhipicephalus appendiculatus* nymphal and adult seasonal activities—A.A. LATIF, T. HOVE, G.K. KANHAI, S. MASAKA and R.G. PEGRAM ..... 187–195

Exposure of cattle immunized with different stocks of *Theileria parva* to buffalo-associated *Theileria* challenge on two game parks in Zimbabwe—A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 197–201

Laboratory and field investigations into the *Theileria parva* carrier-state in cattle in Zimbabwe— A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 203–208

Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya—J.M. WANJOHI, J.N. NGERANWA, R.M. RUMBERIA, G.R. MURAGURI and S.K. MBOGO ..... 217–223

**Tick-borne diseases**

Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya—J.M. WANJOHI, J.N. NGERANWA, R.M. RUMBERIA, G.R. MURAGURI and S.K. MBOGO ..... 217–223

**Tick distribution**

The distribution of ixodid ticks (Acari: Ixodidae) in central Ethiopia—S. MEKONNEN, I. HUSSEIN and B. BEDANE . 243–251

**Ticks**

Tick infestation of Borana cattle in the Borana Province of Ethiopia—A. REGASSA ..... 41–45

Parasites of domestic and wild animals in South Africa. XL. Ticks on dogs belonging to people in rural communities and carnivore ticks on the vegetation—I.G. HORAK, F.R. EMSLIE and A.M. SPICKETT ..... 135–141

Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya—J.M. WANJOHI, J.N. NGERANWA, R.M. RUMBERIA, G.R. MURAGURI and S.K. MBOGO ..... 217–223

The distribution of ixodid ticks (Acari: Ixodidae) in central Ethiopia—S. MEKONNEN, I. HUSSEIN and B. BEDANE . 243–251

***Toxoplasma gondii***

Seroprevalence of *Toxoplasma gondii* and *Chlamydia psittaci* in domestic pigeons (*Columba livia domestica*) at Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH ..... 159–161

***Tragelaphus eurycerus***

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

***Tragelaphus strepsiceros***

Tuberculosis in kudus (*Tragelaphus strepsiceros*) in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS and A.L. MICHEL ..... 225–230

Tuberculosis, caused by *Mycobacterium bovis*, in a kudu (*Tragelaphus strepsiceros*) from a commercial game farm in the Malelane area of the Mpumalanga Province, South Africa—R.G. BENGIS, D.F. KEET, A.L. MICHEL and N.P.J. KRIEK ..... 239–241

***Trichinella* sp.**

Transmission studies on *Trichinella* species isolated from *Crocodylus niloticus* and efficacy of fenbendazole and levamisole against muscle L1 stages in Balb C mice—S. MUKARATIRWA, K. MAGWEDERE, E. MATENGA and C.M. FOGGIN ..... 21–25

**Triton X-100 differentiation of NDV isolates**

Rapid detection and differentiation of Newcastle disease virus isolates by a triple one-step RT-PCR—Z. WANG, F.T. VREEDE, J.O. MITCHELL and G.J. VILJOEN ..... 131–134

**Tswana goats**

The impact of traditional management on seasonal internal parasite burdens and productivity of indigenous Tswana goats in southern Botswana—S.J. NSOSO, J.B. MACHETE, M. MOLATOLE, R.T. NDEBELE, N.N. LEBANI, R.G. CHABO, A.M. KALAKE, L. JACYNA, B.W. SEGADIMO and O.M. MINE ..... 101–104

**Tuberculin**

Validity of intradermal tuberculin testing for the screening of bovine tuberculosis in Madagascar—R. QUIRIN, V. RASOLOFO, R. ANDRIAMBOLOLONA, A. RAMBOASOLO, T. RASOLONAVALONA, C. AHARISOLO, H. RAKOTOKOTOARITAHINA, S. CHANTEAU and P. BOISIER ..... 231–238

**Tuberculosis**

The epidemiology of tuberculosis in free ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa—V. DE VOS , R.G. BENGIS, N.P.J. KRIEK, A. MICHEL, D.F. KEET, J.P. RAATH and H.F.K.A. HUCHZERMEYER ..... 119–130

Tuberculosis in kudus (*Tragelaphus strepsiceros*) in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS and A.L. MICHEL ..... 225–230

Tuberculosis, caused by *Mycobacterium bovis*, in a kudu (*Tragelaphus strepsiceros*) from a commercial game farm in the Malelane area of the Mpumalanga Province, South Africa—R.G. BENGIS, D.F. KEET, A.L. MICHEL and N.P.J. KRIEK ..... 239–241

***Tylecodon wallichii* subsp. *wallichii***

Seasonal variation in cotyledoside concentration of *Tylecodon wallichii* (Harv.) Tölken subsp. *wallichii* sampled in a krimpsiekte-prevalent region—C.J. BOTHA, T. RUNDBERGET, A.L. WILKINS, M.S.G. MÜLDERS, A. FLÅØYEN and M.P. VAN AARDT ..... 1–9

**Ungulates**

Multifactorial mortality in bongos and other wild ungulates in the north of the Congo Republic—F.W. HUCHZERMEYER, M.-L. PENRITH and P.W. ELKAN ..... 263–269

**Vaccination**

Vaccination to control an outbreak of *Mycoplasma crocodyli* infection—K. MOHAN, C.M. FOGGIN, F. DZIVA and P. MUVAVARIRWA ..... 149–150

A monovalent attenuated serotype 2 bluetongue virus vaccine confers homologous protection in sheep—P. HUNTER and J. MODUMO ..... 331–333

**Vegetation**

Parasites of domestic and wild animals in South Africa. XL. Ticks on dogs belonging to people in rural communities and carnivore ticks on the vegetation—I.G. HORAK, F.R. EMSLIE and A.M. SPICKETT ..... 135–141

**Virus**

Antibodies to Newcastle disease virus in the sera of indigenous chickens in Oodi, Kgatleng, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.M.K. HYERA, K.M. THIBANYANE and J. MKARIA ..... 69–70

Immunohistochemical and histopathological studies of fixed rabies virus in goats—S. ATALAY VURAL, G. ALCIGIR and S. BERKIN ..... 83–89

Rapid detection and differentiation of Newcastle disease virus isolates by a triple one-step RT-PCR—Z. WANG, F.T. VREEDE, J.O. MITCHELL and G.J. VILJOEN ..... 131–134

Alternative cell lines for the propagation of lumpy skin disease virus—Y.S. BINEPAL, F.A. ONGADI and J.C. CHEPKWONY ..... 151–153

The 3A non-structural-protein coding region of the southern African SAT type isolates differs from that of other foot-and-mouth disease viruses—L.E. HEATH, H.G. VAN RENSBURG, W. VOSLOO and L.H. NEL ..... 253–262

A monovalent attenuated serotype 2 bluetongue virus vaccine confers homologous protection in sheep—P. HUNTER and J. MODUMO ..... 331–333

**Virulence**

Prevalence of virulent *Rhodococcus equi* in isolates from soil collected from two horse farms in South Africa and restriction fragment length polymorphisms of virulence plasmids in the isolates from infected foals, a dog and a monkey—S. TAKAI, M.M. HENTON, J.A. PICARD, A.J. GUTHRIE, H. FUKUSHI and C. SUGIMOTO ..... 105–110

**Welgevonden stock**

Continuous *in vitro* propagation of *Cowdria ruminantium* (Welgevonden stock) in a canine macrophage-monocyte cell line—E. ZWEYGARTH and ANTOINETTE I. JOSEMANS ..... 155–157

**Yellowfish hosts**

*Lamproglena hoi* n. sp. (Copepoda: Lernaeidae) from two yellowfish hosts, *Barbus marequensis* and *Barbus polylepis*, caught in a river in Mpumalanga, South Africa—S.M. DIPPENAAR, W.J. LUUS-POWELL and F. ROUX ..... 209–215

**Zambia**

A survey on anthelmintic resistance in nematode parasites of sheep in Lusaka, Zambia—S. GABRIEL, I.K. PHIRI, P. DORNY and J. VERCRUYSSE ..... 271–274

**Zimbabwe**

A survey of parasitic nematode infections of chickens in rural Zimbabwe—S. MUKARATIRWA, T. HOVE, J.B. ESMANN, C.J. HOJ, A. PERMIN and P. NANSEN ..... 183–186

Epidemiological observations of Zimbabwean theileriosis: Disease incidence and pathogenicity in susceptible cattle during *Rhipicephalus appendiculatus* nymphal and adult seasonal activities—A.A. LATIF, T. HOVE, G.K. KANHAI, S. MASAKA and R.G. PEGRAM ..... 187–195

Exposure of cattle immunized with different stocks of *Theileria parva* to buffalo-associated *Theileria* challenge on two game parks in Zimbabwe—A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 197–201

Laboratory and field investigations into the *Theileria parva* carrier-state in cattle in Zimbabwe— A.A. LATIF, T. HOVE, G.K. KANHAI and S. MASAKA ..... 203–208

**Zinc and iron concentrations**

Changes in some factors of the innate immunity and serum zinc and iron concentrations in pigs following intra-venous administration of *Escherichia coli* lipopolysaccharide—M. ANDONOVA, I. BORISSOV and L. SOTIROV ..... 91–99

**Zoonosis**

Helminths in dogs belonging to people in a resource-limited urban community in Gauteng, South Africa—W.N. MINNAAR and R.C. KRECEK ..... 111–117